


**TYPICAL TURBINE SITE
EROSION CONTROL PLAN**
(NOT TO SCALE)



TYPICAL TEMPORARY STREAM DIVERSION PLAN
(NOT TO SCALE)

NOTES:

1. ANY PUMPED WATER FROM EXCAVATED AREAS MUST BE FILTERED PRIOR TO DISCHARGE USING A SEDIMENT TRAP.
2. ALL DISTURBED AREAS WITHIN THE EXISTING CHANNEL SHOULD BE STABILIZED BEFORE FLOW IS REDIRECTED INTO IT.
3. DISTURBED STREAM BANKS SHOULD BE STABILIZED USING AN EROSION CONTROL MATTING.

NO.	Description	REVISION	DATE	BY
1				

Contact: Jenny L. Burke
Business Developer
Phone: (315) 376-4316

**IBERDROLA
RENEWABLES**

7557 S State St., Suite 201 - Lowville, NY 13367

UNAPPROVED ALTERATION OF ANY KIND
IS PROHIBITED BY LAW

**PROGRESS
PRINT
NOT FOR
CONSTRUCTION**

CREATING Copyright © 2008 Creighton Manning Engineering, LLP

CME

CREIGHTON MANNING ENGINEERING, LLP
17 COMPUTER DRIVE WEST - ALBANY - NEW YORK - 12205
P: (518) 446-0888 F: (518) 446-0887 WWW.CMELLROOM.COM

DESIGNED: D.A.T. | DRAWN BY: K.H.D. | CHECKED: R.W.O.

ROARING BROOK WIND POWER PROJECT
TOWN OF MARTINSBURG
LEWIS COUNTY, NEW YORK

**SOIL EROSION AND SEDIMENT
CONTROL DETAILS**

DATE: OCTOBER 2008 | CME No.: 07-089D | SCALE: AS NOTED

ECD-2

SHEET NUMBER # of #

FILE = F:\Projects\2007\07-0893d\Cadd\vdgn\vecd-2.dgn
DATE = 10/23/2008
USER = Robertick